

# Content

Preface	iii
Opening Address	iv
Executive committee and organizing committee	v

## Section 1. Prize Lectures

Otsuká Prize Lecture : Controversies in the management of differentiated adenocarcinoma of the thyroid

*I.B. Hales* 1

Mallinckrodt Prize Lecture : Role of thyrotropin-receptor antibodies in primary hypothyroidism

*J. Konishi* 10

## Section 2. Symposium : Iodine and thyroid disease

The neural deficits attending iodine deficiency in man

*J.B. Stanbury* 20

The prevention and control of iodine deficiency disorders in Asia

*B.S. Hetzel* 27

Effects of iodide supplement in thyroid diseases

*S. Nagataki* 31

## Section 3. Regulation of thyroid hormone secretion

Pituitary-thyroid function in chronic renal failure assessed by a highly sensitive thyrotropin assay

*M.J. Hardy, S.S. Ragbeer, and L. Nascimento* 38

Evidence for neuroendocrine factors in the pathogenesis of the sick euthyroid state

*S. Boyages, G. Ma, G.F. Maberly, and C.J. Eastman* 43

An inhibitor of extrathyroidal conversion of thyroxine (T<sub>4</sub>) to 3, 5, 3'-triiodothyronine (T<sub>3</sub>) in the plasma of patients with nonthyroidal illnesses

*R. Otsuka, M. Nanno, Y. Suzuki, N. Isozaki, N. Kikuchi, H. Kurahachi, and T. Yoshimi* 48

Effects of low dose T<sub>3</sub> administration on elderly subjects

*T. Mori, D. Inoue, S. Kosugi, M. Miyamoto, K. Nishino, H. Sugawa, T. Akamizu, T. Yokota, H. Nakamura, and H. Imura* 53

Study on serum free and total triiodothyronine and pituitary thyrotrophin response to thyrotrophin releasing hormone during L-Triiodothyronine and L-Thyroxine therapies in patients with primary hypothyroidism

*H. Fukazawa, T. Sakurada, K. Yoshida, K. Kaise, T. Nomura, Y. Itagaki, M. Yamamoto, S. Saito, and K. Yoshinaga* 58

- The effects of TRH during short term hypothyroidism : Studies on patients treated for thyroid cancer  
*I. Hales, A. Weissberger, B. Luttrell, P. Ward, and S. Watters*

63

## **Section 4. Thyroid Binding Protein**

- Re-evaluation of rat serum thyroxine-binding proteins

*M. Nanno, R. Ohtsuka, Y. Suzuki, N. Isozaki, S. Hamada, and T. Yoshimi*

68

- Assessment of inhibitors of T<sub>4</sub> and T<sub>3</sub> binding : Effects of serum dilution on apparent in vitro inhibitor potency

*J.R. Stockigt, C-F. Lim, K.N. Wynne, and D.J. Topliss*

73

- The effect of free fatty acids on serum free thyroid hormones in patients with hyperthyroidism

*T. Nomura, T. Sakurada, K. Yoshida, K. Kaise, N. Kaise, Y. Itagaki, M. Yamamoto, S. Saito, and K. Yoshinaga*

81

- On the artifact in measuring free thyroxine values in normal pregnant women

*S. Sakata, T. Komaki, N. Kojima, M. Matsuda, S. Shiraki, N. Kumasaki, H. Iwata, and K. Miura*

86

- Diagnosis of dysalbuminemic hyperthyroxinemia and characterization of the variant albumin

*J. Takamatsu, K. Miki, S. Sakane, T. Mozai, and S. Refetoff*

91

## **Section 5. Thyroglobulin**

- Correlation between serum thyroglobulin concentrations and serum TSH levels in normal subjects

*S. Harakawa, S. Morita, K. Ashizawa, Y. Nagayama, T. Kiriyma, N. Yokoyama, S. Ohtakara, H. Nanba, I. Morimoto, S. Okamoto, M. Izumi, and S. Nagataki*

96

- Two kinds of thyroglobulin are present on the thyroid cell surface probably one secreted into colloid, the other into the circulation

*S. Ohtakara, I. Ahn, Y. Nagayama, T. Kiriyma, I. Morimoto, S. Okamoto, N. Ishikawa, K. Eguchi, K. Ito, M. Izumi, and S. Nagataki*

101

- A case of congenital goiter with impaired thyroglobulin synthesis

*T. Ieiri, T. Emoto, H. Kuroda, O. Tarutani, and S. Shimoda*

106

- The direct measurement of thyroglobulin-antithyroglobulin autoantibody immune complex in the serum

*M. Izumi, N. Sritongkul, I. Kubo, S. Ohtakara, K. Ashizawa, S. Harakawa, Y. Nagayama, N. Yokoyama, H. Nanba, T. Kiriyma, I. Morimoto, S. Okamoto, and S. Nagataki*

111

- The concentration of serum thyroglobulin (Tg) in anti-Tg-autoantibody positive patients with Graves' disease

*N. Sritongkul, M. Izumi, I. Kubo, S. Ohtakara, K. Ashizawa, S. Harakawa, Y. Nagayama, N. Yokoyama, H. Nanba, T. Kiriyma, I. Morimoto, S. Okamoto, and S. Nagataki*

116

## **Section 6. Thyroid hormone action**

- Thyroid hormone stimulates alkaline phosphatase activity in mouse osteoblast-like cells (MC3T3-E1) as well as in the conditioned medium

*K. Kasono, K. Sato, Y. Fujii, D.C. Han, T. Tsushima, and K. Shizume*

121

- Thyroid function and tubulin contents in developing rat brains

*T. Takahashi*

126

- Monodeiodinase activity in cerebral cortex and liver in developing human fetus

*M.L. Khurana, D. Prabakaran, M.M. Godbole, M.G. Karmarkar, and M.M.S. Ahuja*

131

Biphasic effects of T <sub>3</sub> in vitro on hormone sensitive adenylate cyclase-cAMP system in normal rat hepatocytes <i>K. Inoue, H. Uchimura, Y. Fukue, K. Matsuda, T. Mitsuhashi, K. Kubota, and F. Takaku</i>	136
Biological effects of reverse T <sub>3</sub> (rT <sub>3</sub> ) : rT <sub>3</sub> inhibits ontogenetic development of iodothyronine-5'-deiodinase(I-5'-D) in the liver of neonatal mice <i>D.C. Han, K. Sato, Y. Fujii, T. Tsushima, and K. Shizume</i>	141
Active and inactive forms of T <sub>3</sub> -binding protein in rat kidney cytosol (I) : role of NADPH in activation of T <sub>3</sub> binding <i>T. Miyamoto, M. Kobayashi, Y. Nishii, K. Yamauchi, A. Sakurai, and K. Hashizume</i>	146
Active and inactive forms of T <sub>3</sub> -binding protein in rat kidney cytosol (II) : cooperative action of Ca <sup>2+</sup> on NADPH activation <i>Y. Nishii, T. Miyamoto, M. Kobayashi, K. Yamauchi, A. Sakurai, and K. Hashizume</i>	151
Active and inactive forms of T <sub>3</sub> -binding protein in rat kidney cytosol(III) : regulation of nuclear T <sub>3</sub> binding by cytosolic T <sub>3</sub> -binding protein <i>K. Yamauchi, M. Kobayashi, T. Miyamoto, Y. Nishii, A. Sakurai, and K. Hashizume</i>	156
<b>Section 7. Thyroid growth factors</b>	
Effects of calcium ionophore and phorbol ester on the proliferation of FRTL5 <i>I. Akiguchi, K. Eguchi, Y. Kawabe, T. Otsubo, S. Miyake, N. Ishikawa, K. Ito, M. Izumi, and S. Nagataki</i>	161
Effects of Ca <sup>2+</sup> , calmodulin, and protein kinase C on proliferation of human thyrocytes <i>Y. Kawabe, K. Eguchi, I. Akiguchi, T. Otsubo, C. Shimomura, Y. Ueki, H. Nakao, H. Tezuka, M. Matsunaga, T. Fukuda, N. Ishikawa, K. Ito, and S. Nagataki</i>	166
Effects of erythrosine and rose bengal B on thyroid tumorigenesis in thyroidectomized rats treated with N-bis(2-hydroxypropyl) nitrosamine <i>Y. Hiasa, M. Ohshima, Y. Kitahori, N. Konishi, T. Shimoyama, and Y. Sakaguchi</i>	171
The Inhibitory effect of iodide on TSH-stimulated ( <sup>3</sup> H) thymidine uptake by cultured rat thyroid cells (FRTL) <i>F. Akasu, K. Takazawa, T. Endo, and T. Onaya</i>	178
<b>Section 8. Genetic aspects of Thyroid disease</b>	
Major gene linked to HLA controls susceptibility to Japanese thyrotoxic periodic paralysis <i>H. Tamai, S. Matsubayashi, S. Fukata, K. Nagai, K. Mori, Y. Hirota, K. Kuma, L.F. Kumagai, and S. Nagataki</i>	183
HLA and Graves' disease in Korean <i>B.Y. Cho, B.D. Rhee, D.S. Lee, M.S. Lee, H.K. Lee, C.S. Koh, H.K. Min, and M. Lee</i>	188
Evidence for genetic heterogeneity of a family with autoimmune thyroiditis and thrombocytopenia <i>T. Kawai, K. Katoh, T. Igarashi, K. Tani, K. Okuda, and T. Ohkubo</i>	193
The immunopathogenesis of malignant lymphoma of the thyroid <i>S. Matsubayashi, H. Tamai, K. Nagai, K. Mori, F. Matsuzuka, T. Katsuki, S. Nagataki, and K. Kuma</i>	198
Inhibition of thyrotropin in Pendred's syndrome <i>S. Tuchinda, S. Damrongpisutikul, and P. Katanyoo</i>	201
Goitrous hypothyroidism in Pendred's syndrome : Response to potassium iodide <i>J.R. Stockigt, F. Long, H.H. Newnham, and D.J. Topliss</i>	206

## **Section 9. Neonatal screening and maternal fetal physiology**

Screening of congenital hypothyroidism in Japan

*M. Irie, H. Nakajima, H. Inomata, O. Namba, and H. Naruse*

211

Development of new enzyme immunoassays for measuring free thyroid hormones in serum and dried blood samples on filter paper without influences of thyroxine binding globulin or albumin

*K. Miyai, M. Ito, N. Hata, N. Amino, and Y. Endo*

216

Functional significance of high incidence of neonatal chemical hypothyroidism in iodine deficient environments

*N. Kochupillai, A. Mithal, C.S. Pandav, N. Gupta, M.M. Godbole, M. Mehta, and M.M.S. Ahuja*

221

Determination of free thyroid hormone levels during pregnancy and the post-partum period by various methods

*V. Sridama, S. Limpongsanurak, S. Sritippayawan, and S. Ampornsittikool*

226

Thyroid metabolism of neonates and developing infants

*S. Aziz*

231

Correlation between function of the pituitary thyroid gland and metabolism of catecholamines in the fetus at delivery

*S. Fukuda, K. Yamamoto, A. Yasuda, H. Nagata, Y. Araki, K. Yoshino, T. Shibukawa, K. Takahashi, and M. Kitao*

236

## **Section 10. Autoimmune thyroid diseases**

### **A. Cellular interaction**

Studies on the tissue T cell subsets in spontaneous lymphocytic thyroiditis in BB/W rats

*Y. Hara, Y. Kawakami, M. Yanagisawa, K. Satoh, M. Urabe, Y. Sakatsume, S. Kawazu, J. Ishii, and K. Komeda*

239

Dysfunction of suppressor T cells in thyroid glands from patients with Graves' disease

*Y. Ueki, K. Eguchi, T. Fukuda, T. Otsubo, Y. Kawabe, C. Shimomura, M. Matsunaga, H. Tezuka, N. Ishikawa, K. Ito, and S. Nagataki*

244

Cellular interactions among thyrocytes, T cells and monocytes within thyroid glands from patients with Graves' disease

*T. Otsubo, K. Eguchi, Y. Kawabe, C. Shimomura, Y. Ueki, H. Nakao, T. Fukuda, M. Matsunaga, H. Tezuka, N. Ishikawa, K. Ito, and S. Nagataki*

249

Synergy in antigen presentation by monocytes and thyroid epithelial cells from patients with Graves' disease

*K. Eguchi, T. Otsubo, Y. Kawabe, C. Shimomura, Y. Ueki, H. Nakao, H. Tezuka, M. Matsunaga, T. Fukuda, N. Ishikawa, K. Ito, and S. Nagataki*

254

The effects of cytokines, antithyroidal drugs and glucocorticoids on phagocytosis by thyroid cells

*M. Matsunaga, K. Eguchi, T. Fukuda, H. Tezuka, Y. Ueki, Y. Kawabe, C. Shimomura, T. Otsubo, N. Ishikawa, K. Ito, and S. Nagataki*

259

Surface glycoprotein of FRTL cell : Its role in phagocytotic activity of latex beads

*K. Takazawa, T. Endo, and T. Onaya*

264

### **B. Immune function**

Depressed natural killer activity in hyperthyroidism

*P. Wang, S. Luo, B. Huang, J. Lin, and M. Huang*

269

Natural killer and natural killer-like cell activity of peripheral blood and thyroid infiltrating mononuclear cells from patients with Graves' disease <i>H. Tezuka, K. Eguchi, T. Fukuda, T. Otsubo, Y. Kawabe, Y. Ueki, M. Matsunaga, C. Shimomura, H. Nakao, N. Ishikawa, K. Ito, and S. Nagataki</i>	274
In vitro production of thyroglobulin specific helper factor in humans <i>K. Sato, Y. Hara, Y. Kawakami, Y. Sakatsume, T. Tanikawa, J. Ishii, and L.J. DeGroot</i>	279
Correlation between anti-thyroid hormone and anti-thyroglobulin antibodies in three cases of Hashimoto's thyroiditis <i>T. Komaki, S. Sakata, S. Nakamura, M. Matsuda, N. Kojima, and K. Miura</i>	284
Analysis of peripheral blood mononuclear cell subsets in patients with Graves' disease : alteration with methimazole therapy <i>K. Kushima, Y. Ban, H. Hara, H. Nagakura, M. Kaihara, N. Ishikawa, and K. Ito</i>	289
Increase of peripheral natural killer (NK) cells at postpartum destructive thyrotoxicosis in autoimmune thyroid disease <i>N. Amino, M. Aozasa, H. Tamaki, J. Tachi, M. Mori, Y. Iwatani, O. Tanizawa, and K. Miyai</i>	294
<b>C. TSH receptor autoantibody</b>	
Autoantibodies to soluble TSH receptors by ELISA method <i>S. Damrongpisutkul, S. Tuchinda, and P. Matangkasombat</i>	300
Comparison of thyroid stimulating activities detected by cyclic AMP production and those by radioiodine uptake in FRTL-5 cells in immunoglobulins from patients with hyperthyroid and euthyroid Graves' diseases <i>K. Kasagi, J. Konishi, Y. Iida, K. Arai, Y. Tokuda, K. Endo, and K. Torizuka</i>	305
Anti-TSH antibodies in patients with Graves' disease and primary nongoitrous myxedema <i>B.Y. Cho, H.K. Lee, C-S. Koh, H.K. Min, and M. Lee</i>	310
Blocking type antibody (B-IgG) from a patient with primary myxedema inhibits Graves'IgG (G-IgG)-or TSH-induced thyroglobulin (Tg) release in human thyroid monolayer cells <i>Y. Fukue, H. Uchimura, K. Kubota, T. Mitsuhashi, K. Inoue, S. Okano, Y. Kanaji, and F. Takaku</i>	317
Heterogeneity of Graves' IgG is mainly due to multiple antibodies with a single function <i>K. Ashizawa, S. Morita, N. Yokoyama, Y. Nagayama, F. Kakezono, T. Kiriyama, H. Nanba, I. Morimoto, S. Okamoto, M. Izumi, and S. Nagataki</i>	322
Studies on thyrotropin receptor antibodies in patients with euthyroid Graves' diseases <i>J. Konishi, K. Kasagi, Y. Iida, K. Arai, Y. Tokuda, K. Endo, and K. Torizuka</i>	327
A correlation between the concentration of serum T <sub>4</sub> and the values of TSH binding inhibiting antibody (TBIAb) during the clinical course of a patient with Hashitoxicosis <i>N. Yokoyama, Y. Nagayama, T. Kiriyama, S. Morita, K. Ashizawa, S. Ohtakara, I. Morimoto, H. Nanba, S. Okamoto, M. Izumi, and S. Nagataki</i>	333
Comparison of effects of high and low dosage regimens of antithyroid drugs on the changes of TSH receptor antibodies in Graves' hyperthyroidism <i>C-S. Koh, B.Y. Cho, D.H. Moon, H.K. Lee, H.K. Min, and M. Lee</i>	338
Thyrotrophin(TSH) receptor antibodies in patients with relapsed hyperthyroidism <i>P.P.B. Yeo, T.C. Aw, A.C. Thai, W.Y. Ng, L. Chan, W.T.L. Tan, K.F. Lui, and J.S. Cheah</i>	343

#### D. Organ specific autoantibody

Clinical significance of pituitary cell antibodies(PCA) in autoimmune thyroid disease

*I. Kobayashi, A. Ishii, S. Okada, H. Shimizu, K. Ohshima, M. Mori, Y. Shimomura, S. Kobayashi, M. Sugiura, and A. Hashimoto*

349

Heterogeneous changes in thyroid stimulating(TSI) and thyrotropin binding inhibiting(TBII) activities in immunoglobulins G of untreated patients with Graves' disease demonstrated by porcine thyroid TSH receptor adsorption or desorption

*H. Uchimura, Y. Kawakami, Y. Fukue, K. Matsuda, T. Mitsuhashi, K. Kubota, Y. Manabe, K. Ito, and F. Takaku*

353

Circulating monocyte(macrophage)-specific antibodies in patients with autoimmune thyroid diseases

*K. Zeki, T. Fujihira, F. Shirakawa, K. Watanabe, K. Yahata, H. Suzuki, and S. Eto*

358

Insulin autoimmune syndrome in Graves' disease

*H.D. Lin, H.D. Chen, P.Y. Chang, and K.N. Ching*

363

### Section 11. Iodine deficiency diseases

Endemic goitre in plateau state, Nigeria

*U.P. Isichei, S.C. Das, A.I. Banwo, I. Morimoto, and S. Nagataki*

368

Prevention and control of iodine deficiency disorders in Yugoslavia

*Z. Skrabalo, and K. Seidl*

373

A strategy of progressive IDD control in Vietnam

*B. Swennen, D. Due, J. Dricot, P. Bourdoux, L. My, and C. Thilly*

382

Goiter in Tehran and suburbs

*F. Azizi, M. Kimiagar, L. Navai, M. Nafarabadi, and H. Mostafavi*

388

Change of cerebroside in the cerebrum of mice treated with methylthiouracil

*X. Bian, T. Ma, X. Chen, and J. Liu*

392

An animal model of endemic cretinism induced by long-term iodine deficiency in the mouse

*Z. Chen, L. Dueng, X. Chu, G. Bai, X. Hu, W. Zhao, B. Hou, C. Zhang, and T. Ma*

397

Etiology of neurological and myxedematous cretinism in Vietnam and Zaire

*D. Due, C. Thilly, J. Vanderpas, L. My, P. Bourdoux, B. Swennen, G.R. Delong, and A.M. Ermans*

402

Intellectual deficits persist in an iodine deficient population in China given iodized salt and oil prophylaxis

*G. Maberly, S. Boyages, M. Li, C. Eastman, J. Morris, J. Jupp, J. Collins, Q. Qian, P. Zhang, C. Qu., and D. Liu. et al.*

407

The influence of different degrees of environmental iodine deficiency on the development of children

*C. Qu, D. Liu, D. Wang, Y. Wang, F. Shi, et al. Directors : Q. Qian, T. Lu*

412

Iodine crystals, KI and KIO<sub>3</sub> in water, salt, fish sauce and soya sauce

*S. Chongchirasiri, S. Pattanachak, N. Tojinda, and R. Pleehachinda*

417

Iodised oil prophylaxis and thyroid autoimmunity

*A. Mithal, N. Kochupillai, A. Sharma, G.P. Sharma, and M.M.S. Ahuja*

422

Synthesis of Iodized oil

*T. Jaipetch, C. Pattanachak, S. Chongchirasiri, R. Pleehachinda, and R. Suwanik*

426

An iodinator

*S. Pattanachak, N. Tojinda, S. Ingbar, and R. Suwanik*

431

## **Section 12. Investigations in thyroid diseases**

Fundamental and clinical evaluation of a highly sensitive immunoradiometric assay for serum TSH

*H. Hara, Y. Ban, K. Kushima, H. Nagakura, M. Kaihara, R. Sato, and H. Niitani*

436

Sensitive immunoradiometric assay for serum thyrotrophin in the evaluation of thyroid function

*P.P.B. Yeo, A.C. Thai, W.Y. Ng, K.F. Lui, and T.C. Aw*

442

Monoclonal anti-peptide antibodies offer new insights in the measurement of serum calcitonin

*P. Motte, M. Ait-Abdellah, P. Gardet, D. Bellet, and C. Bohuon*

449

Newer imaging techniques-a help in diagnosis of thyroid disorders

*S.K. Garg, K. Garg, S. Suri, N. Malik, J.D. Wig, and R.J. Dash*

454

Determination of thyroid gland volume by a newly developed ultrasonic technique

*K. Miki, J. Takamatsu, S. Sakane, M. Majima, H. Kitaoka, H. Akagi, A. Kobayashi, F. Matsuzaka, K. Kuma, and T. Mozai*

459

Fine needle aspiration biopsy in the cytologic evaluation of thyroid nodules

*E.T. de los Santos, L.A. Tudtud, J.A. Quimpo, B.P. Perez, V.P. Banez, R.R. Rayel, M.A. Lapuebla, and L.S. Villadolid*

464

## **Section 13. Therapy of Graves' disease**

Effect of different dosage regimens of propylthiouracil on thyroid hormone levels in thyrotoxic patients

*V. Sridama, S. Sritippayawan, and S. Ampornsittikool*

471

Unusual response to thionamide compounds in Tehran

*F. Azizi*

475

Studies on the remission of Graves' disease following discontinuation of antithyroid drug therapy : T<sub>3</sub>-nonsuppressible and TRAb-negative states

*T. Yamaguchi, I. Kobayashi, H. Akiyama, J. Shoda, T. Inukai, K. Ohshima, M. Mori, Y. Shimomura, and S. Kobayashi*

479

Graves' disease complicating pregnancy : results of surgical treatment in 35 pregnancies

*T. Mimura, G. Hamana, K. Ishitobi, N. Momotani, K. Ito, and H. Takami*

483

Effect of Lugol's iodine on the vascularity of the toxic goitre

*R. Mohan, A.K. Padhey, P.G. Gopinath, M.G. Karmarkar, and M.M. Kapur*

487

Effects of total thyroidectomy, immunosuppressive therapy, on Graves' ophthalmopathy

*K. Nagai, H. Tamai, S. Matsubayashi, A. Miyauchi, F. Matsuzaka, K. Kuma, and S. Nagataki*

492

Treatment of Graves' ophthalmopathy with infusion of high dose methylprednisolone

*Y. Nagayama, M. Izumi, N. Yokoyama, T. Kiriyma, S. Okamoto, I. Morimoto, and S. Nagataki*

496

## **Section 14. Clinical thyroidology**

Thyroid hormone and autonomic nervous system : Decreased variation in R-R intervals on electrocardiogram(ECG) in patients with thyroid dysfunction

*T. Inukai, I. Kobayashi, T. Kobayashi, A. Iwashita, A. Ishii, T. Onai, K. Ohshima, M. Mori, Y. Shimomura, and S. Kobayashi*

501

Electrophysiological studies in patients with thyrotoxicosis

*K.K. Talwar, V. Gupta, U. Kaul, M.M.S. Ahuja, and M.L. Bhatia*

506

Pituitary response to luteinizing hormone releasing hormone in hypothyroidism

*K.M. Prasanna Kumar, M.L. Khurana, A.C. Ammini, M.M. Godbole, and M.M.S. Ahuja*

511

Serum sex hormone dynamics before and during antithyroidal drug therapy in hyperthyroid males <i>I. Morimoto, H. Tamai, Y. Hayashi, K. Kuma, S. Inoue, H. Nanba, M. Izumi, and S. Nagataki</i>	516
A case of painless thyroiditis associated with idiopathic thrombocytopenic purpura <i>K. Nagai, S. Sakata, H. Takuno, S. Tanabashi, M. Kametani, and N. Tokimitsu</i>	521
Tuberculosis of the thyroid gland <i>S.K. Garg, K. Garg, and R.J. Dash</i>	526
Response of benign thyroid nodules, defined by fine needle aspirations, to medical therapy and needle aspiration <i>V. Sridama, W. Lueprasitsakul, K. Sangsiri, S. Pattangungkul, D. Atamaprasangsa, and T. Sunthornthepvarakul</i>	531
Total thyroidectomy in the management of differentiated thyroid cancer <i>T.S. Reeve, L. Delbridge, and P. Crummer</i>	536
Clinical pattern of thyroid disorders. A hospital experience in Delhi, India and Benghazi, Libya <i>V. Kumar, and P.G. Gopinathan Nair</i>	540
Minutes of the General Assembly of the Asia and Oceania Thyroid Association <i>J. Konishi</i>	545
Author Index	547
Subject Index	552