

Contents

1. INTRODUCTION	1-12
2. PARASITES IN GENERAL	13-30
General Considerations, 13-20; Resistance and Immunity, 20-26; Host Specificity, 26-28; Names of Parasites, 28-29.	
PART I. PROTOZOA	
3. INTRODUCTION TO PROTOZOA	31-46
4. SPIROCHETES	47-78
Relapsing Fever, 51-57; Treponematoses, 57-58; Syphilis, 59-68; Yaws, 68-70; Pinta (Mal-de-Pinto), 70; Spirochetes in Local Infections, 70-72; Leptospirosis, 72-76.	
5. AMEBAS	79-110
<i>Entamoeba histolytica</i> , 88-101; Other Intestinal Amebas, 101-105; Mouth Amebas, 105-108.	
6. INTESTINAL FLAGELLATES AND CILIATES	111-132
Flagellates in General, 111-112; Intestinal Flagellates, 112-128; <i>Trichomonas</i> , 114-121; <i>Chilomastix mesnili</i> , 121-122; <i>Giardia</i> , 122-125; Other Intestinal Flagellates, 125-127; Intestinal Flagellates of Domestic Animals, 127-128; Intestinal Ciliates, 128-130.	
7. HEMOFLAGELLATES—I. LEISHMANIA AND LEISHMANIASIS	133-151
The Trypanosomidae, 133-135; Leishman Bodies and Leishmaniasis, 135-141; <i>Leishmania donovani</i> and Kala-Azar, 141-145; Oriental Sore, 145-147; American Cutaneous and Mucocutaneous Leishmaniasis, 147-150.	
8. HEMOFLAGELLATES—II. TRYPANOSOMES	152-179
African Trypanosomiasis and Sleeping Sickness, 158-166; American Trypanosomiasis, 167-175; <i>Trypanosoma cruzi</i> and Chagas' Disease, 167-174; <i>Trypanosoma rangeli</i> , 174-175; Trypanosomiasis of Animals, 175-177.	
9. THE SPOROZOA—I. MALARIA	180-212
Classification of Sporozoa, 180-181; Classification of Malaria-like Parasites, 181-183; Malaria and Malaria-like Diseases	

in Animals Other than Man, 183–185; Human Malaria, 185–209; Blackwater Fever, 209–210.

10. OTHER SPOROZOA, AND ARTHROPOD-BORNE MICROORGANISMS OTHER THAN PROTOZOA 213–238
 Sporozoa Other than Malaria, 213–226; Haemosporidia, 213–219; Babesiidae, 213–216; *Toxoplasma*, 216–219; Coccidia, 219–226; Arthropod-Borne Organisms Other than Protozoa, 226–235; *Bartonella-Anaplasma* Group (Bartonellaceae), 230–231; Filtrable Viruses, 231–234.

PART II. HELMINTHOLOGY

11. INTRODUCTION TO THE “WORMS” 239–259
12. THE TREMATODES OR FLUKES—I. GENERAL ACCOUNT 260–276
 Monogenea, 275–276
13. THE TREMATODES OR FLUKES—II. SCHISTOSOMES 277–296
 Human Schistosomiasis, 277–293; Schistosome Dermatitis (Swimmer’s Itch), 293–294; Animal Schistosomes, 294–295.
14. THE TREMATODES OR FLUKES—III. OTHER TREMATODES 297–328
 Lung Flukes (*Paragonimus*), 297–301; Liver Flukes, 302–312; Fasciolidae, 302–305; Dicrocoeliidae, 305–307; Opisthorchiidae, 307–312; Intestinal Flukes, 312–325; Amphistomes, 312–314; *Fasciolopsis buski*, 314–317; Heterophyidae, 317–320; *Troglorema salmincola*, 320–321; Echinostomes, 321–323; Strigeids, 323–324; Plagiorchiidae, 324–325.
15. THE CESTOIDEA OR TAPEWORMS 329–374
 Order Pseudophyllidea, 341–349; Order Cyclophyllidea, 349–371; Taeniidae, 350–361; Hymenolepididae, 361–365; Dipylidiidae, 365–366; Anoplocephalidae, 366–368; Linstowiidae, 369; Davaineidae, 369–371; Mesocestoididae, 371.
16. ACANTHOCEPHALA (SPINY-HEADED WORMS) 375–382
17. THE NEMATODES IN GENERAL 383–391
18. TRICHURIS, TRICHINELLA, AND THEIR ALLIES 392–407
 Suborder Trichurata, 392–404; *Trichuris*, 392–395; Other Trichuridae, 395–396; *Trichinella spiralis* and Trichiniasis, 396–404; Suborder Dioctophymata, the Giant Kidney Worm, 404–405.
19. THE HOOKWORMS AND THEIR ALLIES—SUBORDER STRONGYLATA 408–439
 Hookworms of Man, 409–429; Other Strongylata, 429–437.
20. OTHER INTESTINAL NEMATODES 440–461
 Ascaridoidea, 440–448; *Ascaris lumbricoides*, 440–447; Other Ascaridoidea, 447–448; Oxyuroidea, 448–453; *Enterocystidia*, 453–461.

bius vermicularis, 449–453; Other Oxyuroidea, 453; Rhabditata, 453–459; *Strongyloides stercoralis*, 454–458; *Diplostocater coronata*, 458–459; *Rhabditis*, 459.

21. FILARIAE, SPIRUROIDS, AND GUINEA WORM 462–499
 Filariae (Superfamily Filarioidea), 462–484; *Wuchereria* (*Filaria*) *bancrofti*, 464–472; *Wuchereria malayi*, 472–473; The African Eye Worm, *Loa loa*, 473–475; *Dipetalonema perstans*, and *D. streptocerca*, 475–476; *Mansonella ozzardi*, 476; *Onchocerca*, 477–481; Other Filariae in Man, 481–482; Filariae in Domestic Animals, 482–484; Spiruroids (Superfamily Spiruroidea), 484–490; Suborder Camallanata. Guinea Worms (Superfamily Dracunculoidea), 490–495; *Dracunculus medinensis*, 490–495.

PART III. ARTHROPODS

22. INTRODUCTION TO ARTHROPODS 500–521
 Classification, 500–502; Insect Morphology and Anatomy, 502–508; Life History, 508–509; Classification of Insects, 509–510; Arthropods as Parasites and Bloodsuckers, 510–512; Arthropods as Disease Transmitters, 512–514; Insecticides and Repellents, 514–519.
23. THE ACARINA (MITES) AND PENTASTOMIDA 522–550
 Acarina (Except Ticks), 522–544; Itch and Mange Mites (Sarcoptidae and Psoroptidae), 525–530; Hair Follicle Mites (*Demodex*), 530–531; Redbugs or “Chiggers” (Trombiculidae), 531–536; Bloodsucking Mites (Dermanyssidae), 536–539; Mites in the Lungs, Intestine, Urinary Passages, etc., 539–540; Grocer’s Itch and Allied Forms of Mite Dermatitis, 540–543; Oribatids, 543–544; The Pentastomida, Tongue Worms and Their Allies, 544–548.
24. TICKS 551–580
 Classification, and Important Species, 557–564; Injury from Bites, 564–565; Ticks as Vectors of Disease, 565–566; Ticks and Relapsing Fever, 566–569; Ticks and Spotted Fever and Other Rickettsial Diseases, 569–574; Tularemia and Other Bacterial Diseases, 574–576; Piroplasmosis, Anaplasmosis, and Virus Diseases, 576–578; Control of Ticks, 578.
25. BEDBUGS AND OTHER HEMIPTERA 581–596
 Bedbugs (*Cimex*), 582–589; Bedbugs and Disease, 587–589; Remedies and Prevention, 589. Other Parasitic Bugs, 589–595; Triatomidae, 589–593; Other Hemiptera, 593–594; Triatomidae and Disease, 594–595; Control, 595.
26. LICE (ANOPLURA AND MALLOPHAGA) 597–618
 Anoplura, 598–613; Human Lice, 600–612; Head and Body Lice (*Pediculus humanus*), 601–605; Crab Louse, 605–607;

Lice and Disease, 607–610; Prevention and Remedies, 610–612; Anoplura on Domestic Animals, 612–613; Mallophaga, 613–617.	
27. FLEAS (SIPHONAPTERA)	619–642
Fleas and Disease, 629–635; Fleas and Plague, 629–633; Fleas and Typhus, 633–635; Fleas and Other Diseases, 635; Notes on Important Species of Fleas, 635–640; Flea Control, 640–641.	
28. DIPTERA—I. BLOODSUCKING AND DISEASE-CARRYING FLIES OTHER THAN MOSQUITOES	643–692
Suborder Orthorrhapha, 647–670; Phlebotomus or Sandflies (Psychodidae), 647–654; Biting Midges or No-see-ums (Heleidae), 654–659; Blackflies or Buffalo Gnats (Simuliidae), 659–666; Horseflies (Tabanidae), 666–670; Suborder Cyclorrhapha, 671–688; Hornflies and Stableflies (Stomoxiidae), 672–675; Housefly (<i>Musca domestica</i>), 675–676; Blowflies, 677; Tsetse Flies (<i>Glossina</i>), 677–681; Tsetse flies and Trypanosomiasis, 681–683; Control, 683–685; Eye flies (Chloropidae), 685–687; Pupipara, 687–688.	
29. DIPTERA—II. MOSQUITOES	693–741
Life History and Habits, 697–706; Classification, 706–711; Mosquitoes and Malaria, 711–720; Mosquitoes and Yellow Fever, 720–727; Mosquitoes and Dengue, 727–729; Mosquitoes and Filariasis, 729–731; Mosquitoes and Encephalitis, 731–734; Mosquitoes and <i>Dermatobia</i> , 734–735; Control and Extermination, 735–740.	
30. DIPTERA—III. FLY MAGGOTS AND MYIASIS	742–770
Muscoid Maggots, 747–760; Bloodsucking Maggots, 747–748; Myiasis of Wounds and Natural Cavities (Screwworms), 749–754; Wool Maggots Causing “Strike,” 754; Muscoid Skin Maggots, 754–757; Myiasis of the Intestine and Urinary Tract, 757–760; Bot Flies, 760–768; Skin Bots (Cuterebriidae), 760–763; Bots Causing Warbles in Cattle (<i>Hypoderma</i> spp.), 763–765; Head Bots (Oestridae), 765–766; Horse Bots (<i>Gastrophilus</i> spp.), 766–768	
SOURCES OF INFORMATION	771–773
INDEX	775–799