| | List of Figures List of Tables Acknowledgments Introduction | iiv iiv x ix |
|--------|--|-----------------------|
| | Chapter 1 Acceptance and Continuation Patterns Sources of Data Patterns of Acceptance Patterns of Continuation | 1 1 2 7 |
| | Appendix to Chapter 1 Sample Design, Response Rates, Sampling Errors, and Alterna- tive Estimates of Continuation | |
| | The Sample Design | 29 |
| | Response Rates | 29 |
| | Adjustments for Nonresponse (Loss to Follow-Up) | 32 |
| | Estimates of Sampling Errors Alternative Continuation Rates | 32 32 |
| | Chapter 2 Pregnancy and Fertility Rates Introduction | 36 |
| | Life Table Pregnancy Rates | 36 |
| | Postacceptance Pregnancy and Fertility Rates Appendix to Chapter 2 A Note Concerning the Number of Pregnancies and Surviving | 40 |
| | Children | 58 |
| ntents | Chapter 3 A Statistical Analysis of the Fertility Decline | 60 |
| | Introduction | 60 |
| | An Analysis of the Factors Determining Postacceptance | 00 |
| | Fertility | 61 |
| | Limitations and Advantages of the Analytic Procedures | 71 |
| | A Reconstruction of Preacceptance Fertility | 71 |
| | The Magnitude of Possible Substitution Effects, or | |
| | Estimates of the Net Effect of the Program Estimation of the Number of Births Averted | 74 |
| | Concluding Words | 76 76 |
| - | Appendix to Chapter 3 Equations and Methods Used to Reconstruct Pregnancy | 10 |
| | Rates | 77 |
| | Part 1 Monthly Probability of Conception | 77 |
| | Part 2 Equations and Assumptions | 80 |
| | Equations Counting Expected Pregnancies The Duration of Gestation and Amenorrhea | 80 82 |
| | The Autocorrelation Assumption in the Estimation of Fetal Losses | 83 |
| | Other Assumptions Used in the Analysis | 86 |
| | Part 3 Sample Calculations | 87 |
| | Method of Computation | 87 |
| | Fertility Potential | 87 |
| | Sterility The "None Pregnant" Cohort Effect | 87 |
| | Postpartum Amenorrhea | 87 87 |
| | Program-Initiated Contraception | 90 |
| | The Increase in Fertility Attributable to Method Failure | 91 |
| | Additional Methods of Contraception | 93 |
| | The Reduction in Fertility Ascribable to Fetal Loss The Increase in Pregnancy Rates Ascribable to Fetal | 94 |
| | Loss Final Note | 95 |
| | THE THOSE | 95 |

References

vii vii

97

List of Figures

List of Tables

| Cha | apter 1 |
|-------|--|
| 1.1 | Obstetric and abortion cases and contraceptive acceptance |
| | rates: Total program, for specified years 2 |
| 1.2 | Obstetric and abortion cases and contraceptive acceptors in |
| | 11 countries in the Postpartum Program, March 1966- |
| | September 1969 2 |
| 1.3 | Number and percentage distribution of acceptors by method |
| | adopted, by region and country, March 1966-September |
| 4.4 | 1969, survey data |
| 1.4 | Number of acceptors and percentage distribution by method |
| 1.5 | of contraception, by region and year, survey data 4 |
| 1.0 | Acceptance rates for total Program by age, by number of living children, July-December 1972 5 |
| 1.6 | Acceptance rates by country, by number of living children, |
| 0 | 1970 and 1971 5 |
| 1.7 | Number of acceptors and percentage distribution by number |
| | of living children, by region and country, March 1966- |
| | September 1969 |
| 1.8 | Percentage distribution of acceptors by number of living |
| | children, by region and year |
| 1.9 | Median age at acceptance by method, by region and coun- |
| | try, March 1966-September 1969 |
| 1.10 | The second of th |
| | age, by region and country, March 1966-September 1969, |
| | survey data 8 |
| 1.11 | |
| 1 10 | loads and acceptance rates, for four countries, 1972 |
| 1.12 | - Topiani, |
| 1.13 | by months, by region and country 11 IUD first-method continuation rates for the total Program |
| 1.10 | by timing of acceptance, by number of living children 11 |
| 1.14 | Year-to-year IUD continuation rates by timing of accept- |
| 4,1.4 | ance, by number of living children 12 |
| 1.15 | _ |
| | by region and ordinal month 12 |
| 1.16 | |
| 1.17 | |
| | fied period by age, by number of living children at accept- |
| | ance 14 |
| 1.18 | Percentage of delayed IUD acceptors continuing use for |
| | specified period by age, by number of living children at |
| | acceptance 14 |
| 1.19 | |
| | of acceptance, by number of living children at ac- |
| | ceptance 15 |
| 1.20 | , and an |
| | timing of acceptance and ordinal month 16 |
| | vii |

1.1 IUD and pill first-method continuation rates, by months

2.1 Cumulative percentage of acceptors pregnant, by number of

2.2 Cumulative percentage of acceptors pregnant, by region and

2.3 Pre- and postacceptance pregnancy termination rates, by

children and months since acceptance

since acceptance

months since acceptance

- 1.21 IUD termination rates 24 months after acceptance by reason for termination, by timing of acceptance and number of living children 17
- 1.22 International comparisons of IUD first-method continuation rates 18
- 1.23 IUD continuation rates for the Postpartum Program and other country programs, for five countries 19
- 1.24 Observed and standardized pill first-method continuation rates by month, by region 19
- 1.25 Pill first-method continuation rates by age at acceptance by ordinal month
- 1.26 Pill first-method continuation rates by number of living children at acceptance, by ordinal month
- 1.27 Percentage of pill acceptors continuing use for more than one year by age, by number of living children 21
- 1.28 Pill termination rates by reason for termination, by months since acceptance and region 21
- 1.29 Pill termination rates 24 months after acceptance by reason for termination, by number of living children 22
- 1.30 International comparisons of pill first-method continuation rates 23
- 1.31 Twelve-month first-method continuation rates for IUD and pill acceptors by number of living children at acceptance, by country 24
- 1.32 Twelve-month first-method continuation rates for IUD and pill acceptors by age at acceptance, by country 25
- 1.83 Twelve- and 24-month first-method continuation rates for IUD and pill acceptors by number of living children at acceptance, by desire for additional children 25
- 1.84 Observed and standardized 12-month continuation rates for all first methods, by region and country 26
- 1.35 First-method continuation rates by year of acceptance, by method and ordinal month 27
- 1.36 First-method continuation rates by year of acceptance, by region and ordinal month
 27
- 1.37 All-contraception continuation rates by first method adopted at 12 and 24 months, by region and country 27

Appendix to Chapter 1

- Institutions sampled in the worldwide follow-up survey
- 1.B Percentage of women interviewed by method, date of acceptance, and number of living children, by region and country
 31
- 1.C Percentage of women interviewed or with postacceptance clinic visits by method, date of acceptance, and number of living children, by region and country
 33
- 1.D Percentage distribution of interviews completed and not completed by reason for nonresponse, by region and country 33
- 1.E Estimates of sampling errors of continuation rate by region, by ordinal month 34
- 1.F Estimated continuation rates for IUD acceptors using interview data only (I) and using interview plus clinic data (I+C) by months, by region and country
- 1.G Estimated continuation rates for pill acceptors using interview data only (I) and using interview plus clinic data (I+C) by month, by region and country
 35

Chapter 2

- 2.1 Cumulative percentage of acceptors who became pregnant, by region, month after acceptance, and number of living children at acceptance (life table method)

 38
- 2.2 Cumulative percentage of acceptors who became pregnant,

- by region, month after acceptance, and age at acceptance (life table method)
- 2.3 Cumulative percentage of acceptors who became pregnant, by region, month after acceptance, and initial method adopted (life table method)
- 2.4 Cumulative percentage of acceptors who became pregnant, by region, year of acceptance, and ordinal month after acceptance (life table method)
 40
- 2.5 Pre- and postacceptance fertility and pregnancy rates per thousand for women who accepted at least two years before the interview date, by region and country
 41
- 2.6 Fertility and pregnancy rates, by time before acceptance 42
- 2.7 Annual average preacceptance fertility and pregnancy rates per thousand for the total Program, regions, and individual countries, and for the total Program, by age at acceptance
- 2.8 Preacceptance fertility rates for pill and IUD acceptors, by country 44
- 2.9 Pre- and postacceptance fertility and pregnancy rates per thousand for women who accepted at least two years before the interview date, by region and by age at acceptance

 45
- 2.10 Pre- and postacceptance fertility and pregnancy rates per thousand for women who accepted at least two years before the interview date, by region and by number of living children at acceptance
- 2.11 Pregnancy termination and fertility rates per thousand before and after the date of termination of the last preacceptance pregnancy, by duration of marriage at acceptance

 48
- 2.12 Pre- and postacceptance fertility and pregnancy rates per thousand for women who accepted at least two years before the interview date, by region and by years of marriage at acceptance

 49
- 2.13 Pre- and postacceptance pregnancy and fertility rates for prior contraceptive users and nonusers, by years of marriage at acceptance 50
- 2.14 Pregnancy termination and fertility rates per thousand before and after acceptance for women who accepted at least two years before the interview date, by prior use of contraceptives and by age at acceptance 51
- 2.15 Percentage of women who had used contraceptives before acceptance in the program, methods used, and characteristics of users 52
- 2.16 Pre- and postacceptance fertility and pregnancy rates, by
 region and by method adopted
- 2.17 Pre- and postacceptance fertility and pregnancy rates for women who accepted at least two years before the interview date, by age at acceptance and by method adopted 54
- 2.18 Pre- and postacceptance fertility and pregnancy rates for women who accepted at least two years before the interview date, by years of marriage at acceptance and by method adopted 55
- 2.19 Pre- and postacceptance fertility and pregnancy rates for women who accepted at least two years before the interview date, by number of living children at acceptance and by method adopted 56
- 2.20 Preacceptance fertility and pregnancy rates for IUD and pill acceptors, by age at acceptance 57
- 2.21 Preacceptance fertility and pregnancy rates for IUD and pill acceptors, by years of marriage at acceptance 57

Appendix to Chapter 2

2.A Mean number of pregnancies, live births, and surviving

- children of acceptors as of the interview date, by region and country 59
- 2.B Percentage of children who died prior to the interview, by year of birth, region, and country 59

Chapter 3

- 3.1 Reconstructed and observed postacceptance fertility and pregnancy termination rates, by method and age (average annual rates in the three-year period following acceptance)

 61
- 3.2 "Fertility potential" remaining after the effects of specific factors have been taken into account (average annual rates in the three-year period following acceptance) 62
- 3.3 Reduction in fertility from the preacceptance potential, by specific factors (average annual rates in the three-year period following acceptance)63
- 3.4 Percentage of preacceptance fertility remaining after the effects of specific factors have been taken into account 64
- 3.5 Percentage change in fertility from the preacceptance potential resulting from specific factors 65
- 3.6 Percentage of women who accepted 24 or more months after their last pregnancy, by age at acceptance 65
- 3.7 Assumptions concerning sterility, by age at acceptance 66
- 3.8 Average annual fertility expectations, by proportion amenorrheic at acceptance 68
- 3.9 Expected residual fertility and fertility reduction, by method and age 68
- 3.10 Observed and reconstructed preacceptance fertility and pregnancy rates (for women with three years' postacceptance data)
 72
- 3.11 Observed and reconstructed fertility rates, before acceptance and after discontinuation, for women with three years' postacceptance history and two years' postdiscontinuation experience (excludes women who experienced unplanned pregnancies)
 73
- 3.12 Average annual fertility and pregnancy rates for the twoyear period following the cessation of program contraception among women who used no other form of contraception 74
- 3.13 Estimates of fertility with partial or complete substitution of methods 75

Appendix to Chapter 3

- 3.A Monthly probability of conception from survey data on 1966 acceptors 78
- 3.B Monthly probability of conception from survey data on 1967 acceptors 79
- 3.C Expected number of births within three years of acceptance per thousand women discontinuing in a month, by duration of postpartum amenorrhea
 81
- 3.D Expected number of fetal losses within three years of acceptance per thousand women discontinuing in a month 82
- 3.E Mean duration (in months) of lactation (L) and of amenorrhea (A), by region, age, and method adopted (for women who had a live birth immediately prior to acceptance) 83
- 3.F Mean duration (in months) of lactation (L) and of amenorrhea (A) by region, age, and method adopted (for women who had a live birth immediately prior to acceptance) 84
- 3.G Mean duration of amenorrhea (in months) by months of nursing, method, and age
 85
- 3.H Percentage of women who did not nurse following a live birth, by age, region, and method 85
- Observed and simulated durations of amenorrhea (in months), by age

- 3.J Percentage of women accepting within three months of delivery, by age at acceptance 86
- 3.K Monthly percentage of early IUD and pill acceptors discontinuing: first method, by age 88
- 3.L Monthly percentage of IUD acceptors discontinuing: First method, by age 89
- 3.M Monthly percentage of pill acceptors discontinuing: First method, by age 91
- 3.N Monthly percentage of early IUD and pill acceptors discontinuing: All contraception, by age 92
- 3.0 Monthly percentage of IUD acceptors discontinuing: All contraception, by age
- 3.P Monthly percentage of pill acceptors discontinuing: All contraception, by age 94
- 3.Q Weights used to obtain group totals for analysis, by age 95