

Contents



Tables and Figures	vii
Foreword <i>Malcolm Potts</i>	xi
Acknowledgments	xv
1 Introduction <i>Dale Huntington</i>	1
2 Effects of Husband Involvement on Postabortion Patients' Recovery and Use of Contraception in Egypt <i>Nabla Abdel-Tawab, Dale Huntington, Ezzeldin Osman Hassan, Hala Youssef, and Laila Nawar</i>	16
3 Creating Linkages Between Incomplete Abortion Treatment and Family Planning Services in Kenya <i>Julie Solo, Deborah L. Billings, Colette Aloo-Obunga, Achola Ominde, and Margaret Makumi</i>	38
4 Improving the Quality of Services and Contraceptive Acceptance in the Postabortion Period in Three Public-Sector Hospitals in Bolivia <i>Juan Diaz, Máriel Loayza, Yamile Torres de Yépez, Oscar Lora, Fernando Alvarez, and Virginia Camacho</i>	61
5 Improving Postabortion Care with Limited Resources in a Public Hospital in Oaxaca, Mexico <i>Ana Langer, Cecilia García-Barrios, Angela Heimbürger, Lourdes Campero, Karen Stein, Beverly Winikoff, and Vilma Barahona</i>	80

6	Estimating Costs of Postabortion Services at Dr. Aurelio Valdivieso General Hospital, Oaxaca, Mexico <i>Carlos Brambila, Ana Langer, Cecilia Garcia-Barrios, and Angela Heimbürger</i>	108
7	Cost Analysis of Postabortion Services in Egypt <i>Laila Nawar, Dale Huntington, and Mohammed Naguib Abdel Fattah</i>	125
8	Midwives and Comprehensive Postabortion Care in Ghana <i>Deborah L. Billings, Victor Ankrab, Traci L. Baird, Joseph E. Taylor, Kathlyn P. P. Ababio, and Stephen Ntow</i>	141
9	Traditional Midwives and Postabortion Care Services in Morelos, Mexico <i>Deborah L. Billings, Xóchitl Castañeda Camey, Xóchitl Romero Guerrero, Julia Blanco Muñoz, Andrea Saldaña Rivera, M. Virginia Chambers, and Patricia Voorduyn</i>	159
10	Ethical Issues in Postabortion Care Research Involving Vulnerable Subjects <i>Karin Ringheim</i>	178
11	Conclusion <i>Nancy J. Piet-Pelon</i>	198
	Contributors	213

Tables and Figures

Tables

2.1	Items on instrumental, emotional, and family planning support indexes	22
2.2	Patients who participated in study: Enrollment, attrition, and completion	25
2.3	Percent distribution of selected sociodemographic and medical characteristics of postabortion patients and their husbands	27
2.4	Logistic regression analysis of variables associated with high level of instrumental, emotional, and family planning support provided by husbands	30
2.5	Logistic regression analysis of variables associated with good physical recovery of postabortion patients	31
2.6	Logistic regression analysis of variables associated with good emotional recovery of postabortion patients	32
2.7	Logistic regression analysis of variables associated with use of or intention to use family planning by postabortion patients	34
3.1	Postabortion family planning models tested, by hospital: Kenya, 1996–97	41
3.2	Number of interviews conducted with patients, staff, and patients' partners, pre- and postintervention, by hospital: Kenya, 1996–97	44
3.3	Percentage of patients with incomplete abortion interviewed, pre- and postintervention, by selected characteristics: Kenya, 1996–97	46
3.4	Percentage of postabortion care providers interviewed, pre- and postintervention, by selected characteristics: Kenya, 1996–97	47
4.1	Monthly average number of women with postabortion complications	69

4.2	Percent distribution of women with postabortion complications, by age	69
4.3	Percent distribution of women with postabortion complications, by number of previous abortions	70
4.4	Percentage of women receiving contraceptive counseling	70
4.5	Percentage of women accepting contraception following treatment for postabortion complications, by method	71
4.6	Percentage of women attending postabortion follow-up visit	73
5.1	Reproductive history, pre- and postintervention	87
5.2	Contraceptive history, pre- and postintervention	88
5.3	Postabortion patients' clinical conditions and uterine evacuation procedure, pre- and postintervention	89
5.4	Mean waiting time and length of hospital stay, pre- and postintervention	92
5.5	Pain management, pre- and postintervention	93
5.6	Provider-patient relations, pre- and postintervention	97
5.7	Patient information and care recommendations, pre- and postintervention	99
5.8	Postabortion family planning counseling, pre- and postintervention	101
5.9	Acceptance of postabortion contraception, pre- and postintervention	102
6.1	Mean per-patient time in minutes spent by service provider, pre- and postintervention	118
6.2	Mean per-patient costs in US dollars of postabortion services, pre- and postintervention	120
6.3	Quality of postabortion care provided, pre- and postintervention	120
7.1	Number of patients observed, pre- and postintervention: Menia General and Abou Korkas District Hospitals	128
7.2	Summary of patient time in minutes, pre- and postintervention, by treatment phase: Menia General Hospital	130
7.3	Summary of patient time in minutes, pre- and postintervention, by treatment phase: Abou Korkas District Hospital	131
7.4	Percent distribution of per-day overhead components: Menia General and Abou Korkas District Hospitals	133
7.5	Summary of average time in minutes spent per patient by service providers: Menia General and Abou Korkas District Hospitals	134
7.6	Total cost of labor in Egyptian pounds (LE), by service provider, and average cost of labor per patient: Menia General Hospital	135

7.7	Total cost of labor in Egyptian pounds (LE), by service provider, and average cost of labor per patient: Abou Korkas District Hospital	135
7.8	Summary of cost items per patient in Egyptian pounds (LE): Menia General Hospital	137
7.9	Summary of cost items per patient in Egyptian pounds (LE): Abou Korkas District Hospital	137
8.1	Data collection conducted during baseline assessment of PAC services in four districts, Eastern Region	145
8.2	Data collection conducted during postintervention assessment of PAC services in four districts, Eastern Region	147
8.3	Cost to patient in cedis of treatment for incomplete abortion: Training districts, March–May 1998	153
9.1	Midwives' knowledge of different types of abortion: Morelos, 1996	168
9.2	Midwives' identification of signs and symptoms of different types of abortion: Morelos, 1996	168
9.3	Technical skills of midwives: Morelos, 1996	169

Figures

2.1	Mean score on three indexes of support provided by husbands of postabortion patients	29
3.1	Project time schedule	42
3.2	Percentage of gynecological ward admissions for treatment of incomplete abortion: Five Kenyan hospitals, 1997	43
3.3	Information provided to women about contraceptive method chosen, postabortion care and situation analysis studies: Kenya, 1995–97	53
4.1	Percentage of women accepting modern contraception	72
6.1	Mean length of patient stay per station, pre- and postintervention	117
6.2	Cost summary of postabortion services, pre- and postintervention	119
7.1	Type of anesthesia used in treating postabortion patients undergoing D&C, preintervention	129
7.2	Average patient time in minutes, by treatment phase: Menia General and Abou Korkas District Hospitals	132
8.1	Training received prior to intervention by midwives based in district hospitals, health centers, and maternity homes	150